



Car Tire Changer

Car Tire Changer

Model: RASE.TOP.4028

Brand : Fasep



Self-centering spindle with automatic locking.

Pneumatic lift: capacity of 85 kg with control panel.

Variable-speed Motor (Inverter).

MONITOR
7" touch screen with PLC control.

Bead pressing device with three push points: ease mounting of tyres. Equipped with independent control board.

Automatic tool head: head movement is controlled by joystick.

AUTOTILT

Bead breaking tools, extraction and mounting tools on a single shaft with 2 rotation axes.



RASE.TOP.4028 is a tire changer with automatic cycle, suitable for the best tire specialists, for the use with

Run Flat and UHP wheels. It operates on wheels of cars and light vehicles with wheels from 13" to 28", without any lever to mount and dismount any tire. RASE.

TOP.4028 is able to diagnose the geometric profile of the rim at the same time as tire bead breaking. RASE. TOP.4028 is equipped with the anti-scratch device of the rim. With RASE.TOP.4028, the wheel is placed directly above the self-centering spindle with a pneumatically operated lift.

Technical Features

- Power source 230V 50/60Hz 1Ph (moto inverter)
- Rotation speed 9 g/min
- Rim diameter 13" - 28"
- Wheel diameter 45" (1143 mm)
- Rim width 15" (380 mm)
- Inflating system pedal
- Operating pressure 8 bar
- Lift weight max 85 kg (pneumatic)
- Noise < 70 dB (A)
- Dimensions mm 1950 x 1070 x 1620 h
- Weight 780 kg

Note:

- Above all picture for reference only
- Any changer/alterations of the technical features /specification and appearance of the above products are subject to change (if the manufacturer thinks necessary) without notice given by our company.

HR



HR





HR




LATEST AUTOMOTIVE TECHNOLOGY SDN. BHD. 200401037132(675643-X)

 No.50&50-A, Jalan Seri Rama, Taman Muzaffar Shah,
Ayer Keroh, 75450 Melaka, Malaysia.

 +606-232 8991(Tel)

 +6016-663 3131 +6019-662 8632

 +606-232 3998

 office@latest.com.my