



Four Post Lift

Four Post Lift

Model: HF9000A

Brand: Latest



Features:

- Electro-hydraulic operation
- 508mm runway widths
- HF9000A model includes the AK4T bolt-on alignment kit (radius gauges not included)
- Pictured with optional rolling jack (ProJack 4500A)
- Optional: air pump for rolling jack (ProJack-Kit)
- 3-stage arms with rubber adapters (RA)

Model:	HF9000A
Lifting Capacity	4086kg (9000 lbs.)
Stroke	1825mm (71-3/4")
Overall Length (w/Ramp)	5337mm (210")
Overall Length (w/o Ramp)	4730mm (18-1/2")
Length of Ramps	772mm (30-3/8")
Overall Width (w/Motor)	3276mm (128-7/8")
Overall Width (w/o Motor)	3020mm (118-7/8")
Width of Runways	508mm (20")
Length of Runways	4500mm (177-1/8")
Height of Runways	127mm (5")
Width Between Runways	1000mm (39-1/4")
Outside Width of Runways	2016mm (79-1/4")
Inside Width of Columns	2716mm (106-7/8")
Inside Length of Columns	4190mm (164-7/8")
Drive Through	2330mm (91-5/8")
Height of Columns	2220mm (87-3/8")
Motor Power	2.2kw
Power Options	1PH/220v/50Hz or 60Hz 3Ph/220v/50Hz or 60Hz


Note:


- Above all picture for reference only
- Any changer/alterations of the technical features /specification and appearance of the above products are subject to change (if the manufacturer thinks necessary) without notice given by our company.




**LATEST AUTOMOTIVE TECHNOLOGY SDN.
BHD. 200401037132(675643-X)**

 No.50&50-A, Jalan Seri Rama, Taman Muzaffar Shah,
Ayer Keroh, 75450 Melaka, Malaysia.

 +606-232 8991(Tel)

 +6016-663 3131 +6019-662 8632

 +606-232 3998

 office@latest.com.my