



# **WHEEL BALANCER**

## Wheel Balancer

**Model: CB67**

**Brand: Bright/Latest**

### Highlights

- The machine has Italian software, user-friendly.
- Automatic acquisition of diameter, distance. The machine has 5 ALU smart balancing programs.
- The machine also has optimization function and weight split function.
- The diameter of balancing shaft is 40mm so it can work with standard accessories.
- The machine has motorcycle balancing programs, it can balance various motorcycle wheels.
- The machine can be optionally equipped with motorcycle adapter.
- LED illuminator for easy and clear operation.
- The calibration is easy to proceed, the machine can quickly get back its precision.
- LED display
- The machine has pedal brake to help user when applying the weight on the wheel.
- The machine will go into stand-by when it is not being used for a certain time.
- Intelligent toggle of STD and ALS2 balance modes. (SMART ARM)

### Technical Data

• Rim diameter	• 1"-28" inch
• Max wheel weight	• 70 kg 1118mm
• Max wheel diameter	• 1,5" – 20" inch
• Rim width	• ± 1g
• Precision	• 90W
• Motor power	• 100/230V 1ph
• Power supply	• 140rpm
• Rotation per minute	• 7s
• Balancing time	• ≤5g
• Second time mounting time	• 1550x1160x1240mm
• Machine dimensions	• 990x760x1150mm
• Packing dimensions	• 128kg
• Net weight	• 166kg
• Gross weight	



### Note:

- Above all picture for reference only
- Any changer/alterations of the technical features /specification and appearance of the above products are subject to change (if the manufacturer thinks necessary) without notice given by our company.

**LATEST**®



**LATEST AUTOMOTIVE TECHNOLOGY SDN.  
BHD. 200401037132(675643-X)**

📍 No.50&50-A, Jalan Seri Rama, Taman Muzaffar Shah,  
Ayer Keroh, 75450 Melaka, Malaysia.

☎️ +606-232 8991(Tel)

📞 +6016-663 3131 +6019-662 8632

🖨️ +606-232 3998

✉️ office@latest.com.my